## **Author Index**

Abe, A., see Kajikawa, H. et al.	
Abe, H., see Kajikawa, H. et al.	
Akin, D.E., Borneman, W.S. and Lyon, C.E. (Athens, GA, U.S.A.)	
Degradation of leaf blades and stems by monocentric and polycentric isolates of	201
ruminal fungi	205
Amato, S.V., see Damron, B.L. et al.	
Babatunde, G.M. (Ibadan, Nigeria) and Pond, W.G. (Clay Center, NE, U.S.A.)	
Nutritive value of Nigerian rubber seed (Hevea brasiliensis) meal and oil. IV. Effects	
of graded levels of rubber seed meal and oil on energy and nitrogen utilization by	212
growing rats	313
Baraniak, B. (Lublin, Poland)	
The effect of flocculant applied in the process of fractionating alfalfa juice on the	205
chemical composition of the obtained protein concentrates	303
Benoff, F.H., see Damron, B.L. et al.	
Bersch, S., see Kratzer, F.H. et al.	
Bogaert, C., see Gomez, L. et al.	
Bogusz, G., see Matyka, S. et al.	
Borneman, W.S., see Akin, D.E. et al.	
Brosh, A., see Silanikove, N. et al.	
Caro, M.R., Zamora, E., León, L., Cuello, F., Salinas, J., Megias, D., Cubero, M.J. and	
Contreras, A. (Murcia, Spain)	
Isolation and identification of <i>Listeria monocytogenes</i> in vegetable byproduct silages	205
containing preservative additives and destined for animal feeding	203
Castanon, J.I.R., Ortiz V. and Perez-Lanzac, J. (Córdoba, Spain)  Effect of high inclusion levels of triticale in diets for laying hens containing 30% field	
	240
beans	347
U.S.A.)	
Morphology, fiber composition and mean particle diameter relationships in ground	
barley and oat forages at different ages	65
Collins, M., see Henning, J.C. et al.	05
Combs, G.E., see Myer, R.O. et al.	
Conner, M.C., see Deetz, L.E. et al.	
Contreras, A., see Caro, M.R. et al.	
Cubero, M.J., see Caro, M.R. et al.	
Cuello, F., see Caro, M.R. et al.	
Damron, B.L. (Gainesville, FL, U.S.A.), Amato, S.V. (Atlanta, GA, U.S.A.) and Benoff,	
F.H. (Athens, GA, U.S.A.)	
Marigold extracts and maize gluten meal as broiler pigment sources in maize and	
wheat-based diets	79
De Blas, C. and Villamide, M.J. (Madrid, Spain)	
Nutritive value of beet and citrus pulps for rabbits	239
Deetz, L.E., Conner, M.C., Rogers, J.A., Papas, A.M. and Richardson, C.R. (Lubbock,	
TX, U.S.A.)	
Performance of steers fed combinations of calcium salts of branched and unbranched	
fatty acids	293

Demeyer, D.I., see van Nevel, C.J. and Demeyer, D.I.
Dim, N.I., see Iwuanyanwu, I.E.J. et al.
Dougherty, C.T., see Henning, J.C. et al.
Economides, S., Koumas, A., Georghiades, E. and Hadjipanayiotou, M. (Nicosia, Cyprus)
The effect of barley-sorghum grain processing and form of concentrate mixture on the
performance of lambs, kids and calves
Ernst, R.A., see Kratzer, F.H. et al.
Georghiades, E., see Economides, S. et al.
Givens, D.I., see Moss, A.R. and Givens, D.I.
Gomez, L., Jouany, J.P., Hillaire, M.C. (Ceyrat, France) and Bogaert, C. (Aubière,
France)
Effect of a new ionophore antibiotic, abierixin, on the digestion of a roughage-based
diet measured in sheep; comparison with results obtained in Rusitec
Hadjipanayiotou, M., see Economides, S.
Hall, J.W., see Mir, P.S. et al.
Henning, J.C., Dougherty, C.T., O'Leary, J. and Collins, M. (Lexington, KY, U.S.A.)
Urea for preservation of moist hay
Hermansen, J.E. (Tjele, Denmark)
Feed intake and milk yield using an ensiled mixture of whole crop beets and straw
compared with traditionally stored beets for dairy cows
Hillaire, M.C., see Gomez, L. et al.
Holzer, Z., see Silanikove, N. et al.
Iwuanyanwu, I.E.J., Umunna, N.N. and Dim, N.I. (Zaria, Nigeria)
Effects of urea supplement with or without molasses on the intake, digestibility and
liveweight changes of beef heifers fed native hay
Jaster, E.H. and Moore, K.J. (Urbana, IL, U.S.A.)
Quality and fermentation of enzyme-treated alfalfa silages at three moisture
concentrations
Johnson, D.D., see Myer, R.O. et al.
Jonsson, A., Lindberg, H., Sundås, S., Lingvall, P. and Lindgren, S. (Uppsala, Sweden)
Effect of additives on the quality of big-bale silage
Jouany, J.P., see Gomez, L. et al.
Kajikawa, H., Odai, M., Saitoh, M., Takahashi, T., Tano, R., Abe, H. and Abe, A.
(Ibaraki, Japan)
Effects of sugar-beet pulp on ruminal and lactation performances of cows having
different rumen fermentation patterns
Korol, W., see Matyka, S. et al.
Koumas, A., see Economides, S. et al.
Kratzer, F.H., Bersch, S., Vohra, P. and Ernst, R.A. (Davis, CA, U.S.A.)
Chemical and biological evaluation of soya-bean flakes autoclaved for different
durations
Lechner-Doll, M., see Rutagwenda, T. et al.
León, L., see Caro, M.R. et al.
Levy, D., see Silanikove, N. et al.
Lindberg, H., see Jonsson, A. et al.
Lindgren, S., see Jonsson, A. et al.
Lingvall, P., see Jonsson, A. et al.
Lyon, C.E., see Akin, D.E. et al.  Matyka S. Korol W. and Pogusz G. (Lublin Poland)
Matyka, S., Korol, W. and Bogusz, G. (Lublin, Poland)  The retention of phytin phosphorus from diets with fat supplements in broiler chicks 223
The retention of phythi phosphorus from thets with lat supplements in broner chicks 223

McAllan, A.B., see Merry, R.J. et al.
Megias, D., see Caro, M.R. et al.
Mero, R.N. (Mpwapwa, Tanzania) and Udén, P. (Uppsala, Sweden)
Effect of supplementing mature grass hay with dried Leucaena leaves on organic matter
digestibility and voluntary intake by sheep
Merry, R.J., McAllan, A.B. and Smith, R.H. (Maidenhead, Gt. Britain)
In vitro continuous culture studies on the effect of nitrogen source on rumen microbial
growth and fibre digestion
Mertens, D.R., see Cherney, D.J.R. et al.
Mir, P.S., Mir, Z. (Kamloops, B.C., Canada) and Hall, J.W. (Vancouver, B.C., Canada)
Physical characteristics of feeds and their relation to nutrient components and dry
matter disappearance in sacco
Mir, Z., see Mir, P.S. et al.
Moore, J.E., see Cherney, D.J.R. et al.
Moore, K.J., see Jaster, E.H. and Moore, K.J.
Mosenthin, R., see Sauer, W.C. et al.
Moss, A.R. and Givens, D.I. (Stratford-upon-Avon, Gt. Britain)
Chemical composition and in vitro digestion to predict digestibility of field cured and
barn-cured grass hays
U.S.A.)
Evaluation of scallop viscera silage as a high-protein feedstuff for growing-finishing
swine
O'Leary, J., see Henning, J.C. et al.
Odai, M., see Kajikawa, H. et al.
Ortiz, V., see Castanon, J.I.R. et al.
Otwell, W.S., see Meyer, R.O. et al.
Papas, A.M., see Deetz, L.E. et al.
Perez-Lanzac, J., see Castanon, J.I.R. et al.
Pierce, A.B., see Sauer, W.C. et al.
Pond, W.G., see Babatunde, G.M. and Pond, W.G.
Reddy, S.M., see Surekha, M. and Reddy, S.M.
Richardson, C.R., see Deetz, L.E. et al.
Rogers, J.A., see Deetz, L.E. et al.
Rutagwenda, T., Lechner-Doll, M., von Engelhardt, W. (Hannover, F.R.G.), Schwartz,
H.J. (Berlin, F.R.G.) and Schultka, W. (Giessen, F.R.G.)
Dietary preference and degradability of forage on a semiarid thornbush savannah by
indigenous ruminants, camels and donkeys
Saitoh, M., see Kajikawa, H. et al.
Salinas, J., see Caro, M.R. et al.
Sauer, W.C., Pierce, A.B. (Edmonton, Alta., Canada) and Mosenthin, R. (Kiel, F.R.G.)
The utilization of pelleted, extruded, and extruded and repelleted diets by early weaned
pigs
Schultka, W., see Rutagwenda, T. et al.
Schwartz, H.J., see Rutagwenda, T. et al.
Silanikove, N. (Qiryat-Shemona, Israel), Brosh, A., Holzer, Z. and Levy, D. (Haifa,
Israel)
Urea treatment of green panic: effect on in vivo digestibility and on digesta mean
retention time117
Smith, R.H., see Merry, R.J. et al.
Sundås, S., see Jonsson, A. et al.
Surekha, M. and Reddy, S.M. (Warangal, India)
Succession of mycoflora on groundnut fodder

Takahashi, T., see Kajikawa, H. et al.
Tano, R., see Kajikawa, H. et al.
Udén, P., see Mero, R.N. and Udén, P.
Ueberschar, K.H., see Wang, PX. and Ueberschar, K.H.
Umunna, N.N., see Iwuanyanwu, I.E.J. et al.
Van Nevel, C.J. (Melle, Belgium) and Demeyer, D.I. (Brussels, Belgium)
Effect of antibiotics, a deaminase inhibitor and Sarsaponin on nitrogen metabolism of
rumen contents in vitro
Villamide, M.J., see de Blas, C. and Villamide, M.J.
Vohra, P., see Kratzer, F.H. et al.
Von Engelhardt, W., see Rutagwenda, T. et al.
Walker, W.R., see Myer, R.O. et al.
Wang, PX. (Wuhan, China) and Ueberschar, K.H. (Celle, F.R.G.)
The estimation of vicine, convicine and condensed tannins in 22 varieties of fababeans
(Vicia faba L.)
Wiseman, J. (Loughborough, Gt. Britain)
Influence of emulsification on the apparent metabolisable energy of two dry fats given
to broiler chicks of increasing age
Zamora, E., see Caro, M.R. et al.